




RHYNO PROTECT

MULTI-PURPOSE FIRE FIGHTING ROBOT (200 KG RANGE)







RESISTANCE TO VERY HIGH TEMPERATURES

INTERCHANGEABLE MISSIONS MODULES IN LESS THAN 30 **SECONDS**

EXTEND AUTONOMY

FAST DEPLOYMENT & LOW MAINTENANCE



①

TRANSPORTING

111

EVACUATING INJURED PEOPLE

CBRN SANITIZING

OBSERVATION

EQUIPMENT








MADE IN FRANCE



RHYNO PROTECT



WEIGHT: 150 KG

■ OBSTACLE CLEARANCE : 15 CM

MOTORIZATION: ELECTRICAL MOTOR ENERGY

SLOPE: 40° | SIDE SLOPE: 35°

BRAKES: ELECTROMAGNETIC

SPEED: 5 KM/H

WATERPROOF: IP67 EQUIVALENT

LITHIUM-ION: 2 SHARK ENERGY ULTRA RESISTANT BATTERIES 24V – 50 A

((())) SENSORS INTERFACE : RAILS PICATINNY, CONNECTION CONES

DURATION: 5 HOURS IN OPERATIONS

OUR CLIENTS





1 ROBOT, 6 MISSIONS OPTIONS





BASKET TO TRANSPORT









ADDITIONNAL OPTIONS



SENSORS TRAY: CBRN, GAS, ETC.



 CONSTANT VOLTAGE MOTORIZED FIBER DISPENSER



► LONG DISTANCE TRANSMISSIONS: MESH RELAY OPTION



• EXTRA BATTERIES





SHARK STATION | REMOTE CONTROL WITH VIDEO FEEDBACK

- VIDEO TURRET CONTROL (ZOOM & THERMAL CAME-RAS)
- TELEMETRY: FEEDBACK (TEMPERATURE, HOUR METER, TRANSMISSION QUALITY, ETC.)
- TRANSMISSION DISTANCE: IN AVERAGE 1000 METERS **AT SIGHT**
- DRIVING ASSISTANCE THANKS TO VIRTUAL LINES
- GPS INTEGRATED
- PITCH & ROLL
- ALLOWS TO CONTROL THE TABLET WITH GLOVES
- VIDEO AND PHOTO RECORDING, WITH THE POSSIBILITY OF PLAYBACK ON THE TABLET
- STREAMING (OPTION)
- SOFTWARE MASTERED IN-HOUSE: CONTINUOUS

